



TROPICAL INSTITUTE OF ECOLOGICAL SCIENCES

ISO 9001:2015, ISO 17020:2012 Certified organization

Ecological Research Campus, Velloor P.O., Kottayam, 686 501, Kerala, India

Tel: - 9497290339, 9633723305, 0481- 2957050

Email: tropicalschool@gmail.com; info@ties.org.in

Approved Research Centre, Mahatma Gandhi University, Kottayam

Approved laboratory of Pollution Control Board

LABORATORY ANALYSIS REPORT

Report No.: TIES/LA/W/495/24-25

Date: 11.11.2024

Client Name & Address	SAMPLE DETAILS	
Cross Roads School Pampady	1. Date of Receipt of sample	07.11.2024
	2. Sampling done by	CLIENT
	3. Sample submitted to the lab by	CLIENT
	4. Sample code	M-4564/TIES/2024
	5. Source of sample	Filter water
	6. Sample quantity	1 L
	7. Sample condition	Acceptable for Tests
	8. Period of analysis: 07 th November to 10 th November 2024	

Sl. No.	Parameter	Unit	Test Method APHA/IS 3025	Desirable limit for drinkingwater (IS 10500:2012)	Limit of detection	Test result of the sample
Microbiological characteristics (bacteria)						
1	Total coliforms(TC)	MPN/100ml	IS1622-1981 (1996reaffirmed)	0	0 to 2400	0
2	Faecal Coliforms (FC)	MPN/100ml	IS1622-1981 (1996reaffirmed)	0	0 to 2400	0
3	<i>E.coli</i>	-	IS1622-1981 (1996reaffirmed)	0	Present/absent	Absent

This report is of the sample tested only and shall not be reproduced except in full. Sampling is not done by the lab.

Authorised signatory/ Lab in charge		Verified by	
--	--	-------------	--



Maya K. Gopal

MANAGER
CROSSROADS CENTRAL SCHOOL
PAMPADY